

Scotsman[®]

Modular Ice Machine - 50 Hz up to 195 kg

Item #:
Project:
Quantity:



FEATURES

- Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference.
- Agion: the technology that makes products longer and lasting with built-in protection working 24/7 to resist the growth of and the development of unpleasant odors.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.

Head

MXG 438



MXG L 438 Large Gourmet 39 g Ø 38 x H 41 mm



MXG M 438 Medium Gourmet 20 g Ø 30 x H 34 mm



MXG S 438 Small Gourmet 8 g Ø 21 x H 25 mm

CONDENSING **SYSTEM**

Air cooled Water cooled

REFRIGERANT GAS

R404A

VOLTAGE V/Hz/ph

230/50/1 230/60/1

Air temperature

Water pressure

Electrical voltage

Water temperature

LEGENDA:

✓ : Perfect combination between ice maker and bin : Ice chute cut-out performed upon installation

RECOMMENDED BINS

SB393

SB530

SB550

UBH1600

SIS1350

Bins

1 BINTOPMKGSB55

CBTxxxxxxxxxx : need additional bin top

OPERATING REQUIREMENTS

Minimum

10°C

5°C

1 bar (14 psi)

-10%

Certifications:















agion (LOA)

IMPORTANT NOTICE:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals. Download our free App Scotsman Ice Apple store Google play Windows store

www.scotsman-ice.it www.scotsman-ice.com kg

181

243

252

812

613 + 73 + 73

Maximum

43°C

38°C

5 bar (70 psi)

+10%


MXG 438 EXTREME





Modular Ice Machine - 50 Hz up to 195 kg

Item #: Project: Quantity:



UNIT DATA	
Size (W x D x H)	773 x 705 x 721 mm
Net weight	73 kg

SHIPPING DATA	
Carton (W x D x H)	830 x 770 x 920 mm
Weight	85 kg

		Compressor		Circuit	Max. fuse size	
Version	Voltage	Btu/h	W	No.	Ømm²	Α
MXG L 438 AS	230/50/1	17163	5030	3	1.5	16
MXG L 438 WS	230/50/1	17163	5030	3	1.5	16
MXG M 438 AS	230/50/1	17163	5030	3	1.5	16
MXG M 438 WS	230/50/1	17163	5030	3	1.5	16
MXG S 438 AS	230/50/1	17163	5030	3	1.5	16
MXG S 438 WS	230/50/1	17163	5030	3	1.5	16

			24 h ice production kg		Energy		Water usage*	Instant	
			°C Amb. / °C Water		consumption*		3	power	
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
MXG L 438 AS	Air	230/50/1	167	167	130	26.5	34.5	13.8	1750
MXG L 438 WS	Water	230/50/1	172	170	147	20.4	30.0	106.3	1400
MXG M 438 AS	Air	230/50/1	190	180	128	28.7	36.7	15.4	1850
MXG M 438 WS	Water	230/50/1	195	190	165	19.5	32.2	150.0	1400
MXG S 438 AS	Air	230/50/1	195	182	135	28.9	39.0	20.8	2000
MXG S 438 WS	Water	230/50/1	195	192	170	20.0	34.0	185.4	1400

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions