

MXG 638

EXTREME

Scotsman
Ice Systems

Modular Ice Machine - Volt 230/50 up to 360 kg

| |
|-----------|
| Item #: |
| Project: |
| Quantity: |



FEATURES

- Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
- Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference.
- Agion: the technology that makes products cleaner and longer lasting with built-in protection working 24/7 to resist the growth of microbes and the development of unpleasant odors.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- Clean alert: advises with a blink when it's time to clean the filter.



MXG L 638
Large Gourmet 39 g
Ø 38 x H 41 mm



MXG M 638
Medium Gourmet 20 g
Ø 30 x H 34 mm



MXG S 638
Small Gourmet 8 g
Ø 21 x H 25 mm

CONDENSING SYSTEM

Air cooled
Remote condenser
Water cooled

REFRIGERANT GAS

R404A

VOLTAGE V/Hz/ph

230/50/1
230/60/1
400/50/3N

RECOMMENDED BINS

| Head | Bins | kg |
|---------|-------------------|---------------|
| | ✓ SB393 | 181 |
| | ✓ SB530 | 243 |
| | BINTOPMKG55 SB550 | 252 |
| MXG 638 | CBT48EAMCD SB948 | 406 |
| | CBT52EAMCD SB1025 | 478 |
| | ● UBH1600 | 812 |
| | ● SIS1350 | 613 + 73 + 73 |

LEGENDA:

- ✓ : Perfect combination between ice maker and bin
- : Ice chute cut-out performed upon installation
- CBTxxxxxxx : need additional bin top

Certifications:



OPERATING REQUIREMENTS

| | Minimum | Maximum |
|--------------------|----------------|----------------|
| Air temperature | 10°C | 43°C |
| Water temperature | 5°C | 38°C |
| Water pressure | 1 bar (14 psi) | 5 bar (70 psi) |
| Electrical voltage | -10% | +10% |

IMPORTANT NOTICE:
Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**
Apple store
Google play
Windows store



www.scotsman-ice.it
www.scotsman-ice.com

Modular Ice Machine Volt 230/50 - up to 360 kg

MXG 638


EXTREME

Scotsman
Ice Systems

Modular Ice Machine - Volt 230/50
up to 360 kg

| |
|-----------|
| Item #: |
| Project: |
| Quantity: |

Modular Ice Machine Volt 230/50 - up to 360 kg



| UNIT DATA | | | Compressor | | Circuit wires | | Max. fuse size | |
|------------------|---------------------|--------------|------------|---------|---------------|---|----------------|------------------|
| | | | Version | Voltage | Btu/h | W | No. | Ømm ² |
| Size (W x D x H) | 773 x 704 x 1128 mm | MXG L 638 AS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |
| Net weight | 116 kg | MXG L 638 WS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |
| | | MXG M 638 AS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |
| | | MXG M 638 WS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |
| | | MXG S 638 AS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |
| | | MXG S 638 WS | 230/50/1 | 25250 | 7400 | 3 | 2.5 | 20 |

| | | | 24 h ice production kg °C Amb. / °C Water | | | Energy consumption* | | Water usage* | Instant power |
|--------------|--------------|----------|--|-----------|-----------|---------------------|---------|--------------|---------------|
| Version | Condensation | Voltage | 10°C/10°C | 21°C/10°C | 32°C/21°C | kWh/100 kg | kWh/24h | l/h | W |
| MXG L 638 AS | Air | 230/50/1 | 290 | 285 | 230 | 21.5 | 49.5 | 27.9 | 2500 |
| MXG L 638 WS | Water | 230/50/1 | 290 | 285 | 250 | 19.8 | 45.5 | 200.0 | 2100 |
| MXG M 638 AS | Air | 230/50/1 | 330 | 310 | 220 | 23.2 | 51.0 | 22.9 | 2500 |
| MXG M 638 WS | Water | 230/50/1 | 340 | 325 | 290 | 16.6 | 48.0 | 225.0 | 2200 |
| MXG S 638 AS | Air | 230/50/1 | 360 | 345 | 240 | 23.2 | 55.6 | 39.2 | 2800 |
| MXG S 638 WS | Water | 230/50/1 | 340 | 325 | 280 | 18.6 | 52.0 | 275.0 | 2300 |

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions